SAMARTH ELECTRONICS HUB

TRADE PRODUCT CATALOGUE & SPECIFICATION GUIDE

Commercial & Residential LED Lighting Fixtures | Regulated SMPS Drivers

ENTERPRISE IDENTIFICATION & COMPLIANCE DETAILS

Entity Name:	SAMARTH ELECTRONICS HUB (Partnership Startup)
Trademark No:	7993579 (Class 9 - Commercial Electronics & LED Fixtures)
GSTIN (Active):	24AGBFS1171R1ZM (Eligible for Full 100% Input Tax Credit / ITC)
MSME Udyam:	UDYAM-GJ-07-0040753 (Micro Manufacturing Enterprise)
Principal Depot:	Ambli Faliyu, Karamba Road, Jhalod, Limdi / Limadi, Dahod, Gujarat - 389180

WHY CONTRACTORS & RETAILERS CHOOSE SAMARTH

1. Up to 27 Months Driver & Unit Warranty
Robust industrial-grade surge suppression (4kV - 6kV) ensuring minimum failure rate.

2. High Lumen Efficiency (>100 Lm/W)
LM80 certified LED chips for lasting lumen maintenance without yellowing or dimming.

3. Full Compliance Commercial Invoicing
Direct computerized GST invoices with correct HSN 9405 / 8504 codes on all dispatches.

4. Pan-India Road Transport Connectivity
Daily dispatches through V-Trans, TCI, and Maruti Courier from the Gujarat border hub.

5. Ready Stock & Custom CCT Production
Cool White (6500K), Warm White (3000K), Neutral (4000K), and 3-in-1 multi-switchable.

DIRECT MANAGEMENT CONTACTS FOR WHOLESALE RATES

Partner 1: Bhammar Gopalbhai Rambhai
Phone / WhatsApp: +91 96242 34603 | Email: smarthelectronicshub9@gmail.com

Partner 2: Solanki Lokesh Kumar Rameshbhai
Phone: +91 93130 62650 | Email: bhammargopal3@gmail.com

SAMARTH ELECTRONICS HUB - PRODUCT SPECIFICATIONS

Category: Commercial & Residential LED Lighting Range

1. LED PANEL LIGHTS & ARCHITECTURAL DOWNLIGHTS

Product Model / Series	Wattage Options	Key Technical Features	Guarantee
Slim LED Panel Light (Round / Square)	3W, 6W, 9W, 12W, 15W, 18W	Die-cast Aluminium / PC Diffuser	**24 Mo**
Aqua Waterproof LED Panel (IP44/65)	6W, 12W, 18W	Sealed Gasket, Damp Locations	**24 Mo**
Pixel Decorative Panel Light	3W, 6W, 12W	Edge-glow architectural rim	**18 Mo**
PC Polycarbonate Body Panel	8W, 15W, 20W	Flame-retardant lightweight housing	**18 Mo**
Side-Blue Dual Colour Accent Panel	6W+3W, 12W+4W	Dual mode central white + blue rim	**18 Mo**
2x2 Commercial Modular False Ceiling Panel	36W, 40W, 48W	595x595mm Backlit / Edge-lit Frame	**27 Mo**
Adjustable Surface / Concealed Panel	6W, 12W, 18W	Universal sliding mounting bracket	**24 Mo**

2. COB SPOTLIGHTS & DEEP ARCHITECTURAL FOCAL LIGHTING

COB Fixture Model	Available Wattages	Optical & Mechanical Specs	Guarantee
Grace Swivel COB Spotlight	3W, 7W, 12W, 16W, 20W	24´° / 36´° Reflector Lens, 360´° Tilt	**24 Mo**
Deep Downlight Anti-Glare COB	6W, 10W, 15W, 24W	Low UGR < 19, Deep Baffle Housing	**27 Mo**
Square Multi-Head Architectural COB	1-Head (10W), 2-Head (20W)	Architectural showroom / gallery track style	**24 Mo**
Mini Cabinet / Niche Focus Light	1W, 2W, 3W Button COB	Compact cutout for wardrobes and mandirs	**18 Mo**

3. RESIDENTIAL BULBS, INVERTER AC/DC & TUBELIGHTS

Fixture / Bulb Type	Wattage Range	Driver & Safety Highlights	Guarantee
Standard High-Lumen LED Bulbs (B22/E27)	9W, 12W, 15W, 18W, 20W, 30W, 40W, 50W	Surge Protected 3.5kV, HPF >0.90 Driver	**12-24 Mo**
Emergency Rechargeable AC/DC Inverter Bulb	9W, 12W, 15W	Lithium-ion Backup up to 4 Hours on Power Cut	**12 Mo**
Slim Profile Linear Batten Tubelights	10W, 20W, 36W, 40W, 52W (1ft - 4ft)	High transmission PC diffuser, flicker-free	**18 Mo**

4. INDUSTRIAL FLOODLIGHTS, HIGHBAYS & STREET LIGHTS

Industrial Outdoor Fixture	Wattage Spectrum	Protection & Enclosure Class	Guarantee
Slim Architectural LED Floodlight (IP66)	30W, 50W, 100W, 150W, 200W	Toughened glass, 4kV surge, die-cast fins	**24 Mo**
High-Power Stadium / High-Mast Projector	250W, 300W, 400W, 500W, 600W	Modular lens optics, 6kV surge, IP67 rating	**27 Mo**
UFO Industrial Highbay Warehouse Light	50W, 100W, 150W, 200W	Die-cast circular radiator, hanging eye-bolt	**24 Mo**
Picasso Series LED Streetlight (Lens Optic)	24W, 36W, 50W, 72W, 100W, 150W	Batwing type-II street distribution, pole mount	**24 Mo**

5. REGULATED SMPS CONSTANT-VOLTAGE 12V / 24V DRIVERS

SMPS Driver Family	Ampere & Wattage Ratings	Enclosure & Protection Specs	Guarantee
Perforated Metal Mesh SMPS (12V)	2A (24W), 5A (60W), 10A (120W), 20A (240W), 30A (360W), 33A (400W)	Short circuit & over-voltage trip	**24 Mo**
Sleek Ultra-Slim Pencil SMPS	2A, 3A, 5A, 8.3A (100W), 12.5A (150W)	18mm ultra-narrow profile for cove profiles	**24 Mo**
Waterproof Solid Resin SMPS (IP67)	5A (60W), 8.3A (100W), 12.5A (150W), 16.6A (200W)	Epoxy encapsulated waterproof for outdoor signage	**27 Mo**
Eco Rainproof Outdoor SMPS	10A, 20A, 30A, 33A (Vertical Louver Enclosure)	Sun-shielded outdoor ventilation design	**18 Mo**

HOW TO PLACE ORDERS & RECEIVE CURRENT WHOLESALE RATE SHEET

Step 1: Note your model name, wattage, quantity, and delivery destination.

Step 2: Message us directly on WhatsApp at +91 96242 34603 or email smarthelectronicshub9@gmail.com.

Step 3: Receive formal GST proforma quotation with volume discount tiers within 2 hours.

Step 4: Consignment dispatched via V-Trans / TCI / local transport with live bilty docket receipt.